## **SIEMENS**

Product data sheet 3TG1010-0AG2



CONTACTOR SCREW TERMINALS, 4NO FOR SNAPPING ONTO STANDARD MOUNTING RAIL AC OPERATION AC 110V,45...450HZ

General technical details:				
Operating current				
• at AC-3 / at 400 V / rated value	Α	8.4		
• at AC-1 / at 400 V / rated value	Α	20		
type of voltage		AC		
Supply voltage frequency / for auxiliary and control current circuit / rated value				
• minimum	Hz	45		
• maximum	Hz	450		
Control supply voltage				
• at 50 Hz / at AC / rated value				
• minimum	V	110		
• maximum	V	110		
• at 60 Hz / at AC / rated value				
• minimum	V	110		
• maximum	V	110		
Service power / at AC-3 / at 400 V / rated value	kW	4		
Number of poles		4		
Number of NC contacts / for main contacts		0		
Number of NC contacts / for auxiliary contacts		0		
Number of NO contacts / for main contacts		4		

Number of NO contacts / for auxiliary contacts		0
Item designation / according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		К
Item designation / according to DIN EN 61346-2		К
Protection class IP		IP00
Ambient temperature		
during operating	°C	5525

Mechanical design:				
Design of the electrical connection				
for main current circuit		screw-type terminals		
for auxiliary and control current circuit		screw-type terminals		
Type of mounting		screw and snap-on mounting onto 35 mm standard mounting rail		
• series installation		Yes		
Width	mm	36		
Height	mm	62		
Depth	mm	60		

## Certificates/approvals:

**General Product Approval** 

Declaration of Conformity

**Test Certificates** 











Special Test Certificate

## other

Declaration of Conformity

## Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

**CAx-Online-Generator** 


http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3TG1010-0AG2/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3TG1010-0AG2}$ 



last change: Jan 28, 2013